





Cardiovascular Surgeries solutions











# Our Solutions.

# Sutures.

At the heart of Peters Surgical experience and know-how, our sutures are the result of a long-term collaboration with Professor Alain Carpentier.

Today, we offer a wide range of absorbable and non-absorbable sutures.

# Clips-VTO.

Our knowledge in clips and appliers technology for open and laparoscopic surgeries benefits from international recognition.





# Opening and Exposure of The Heart.

# Pericardial suspension

#### Polytresse®

Non absorbable suture, coated polyester braid



- Very good knot strength to prevent suture tear/ fracture
- · Great slide thanks to silicone coating
- Strong needle and good ductility made of A300 series stainless steel

# Hemostasis of

## mediastinal arteries & veins

#### SLS-Clip & Clip 9 Vitalitec®

Pure titanium & chevron-shaped clip





 Clips sizes adapted to perform hemostasis on various vessel configurations



 Non-slip closure on the vessels thanks to interlocking atraumatic teeth and internal structure made up of small diamond shape



 Specific treatment and shape of the applier jaw inner surface to help secure the grip of the clip in the applier until applied to a vessel

Product's recommendation by Peters Surgical

Suture brand	USP		Needle curvature, length		
Polytresse®	0 to 3	Cutting	1/2c, 22 to 48 mm	75 cm	2 to 4

Clip cartridge	Height clip closed	Oty clip used
Medium/blue	5.6 mm	4

TOP OR	DER CODES	
91S40E	Polytresse®	1/2 T, 36 mm, 75cm
91S40C	Polytresse®	1/2 T, 30 mm, 75cm
B9180	Clip medium	Height clip closed : 5,6 mm

# Cardiopulmonary Bypass Setup<sup>1</sup>.

# Aortic and venous purse-strings for cannulation

## Cardioxyl®

Non absorbable suture, polyester coated braid



- Great glide through the tissue due to the silicone coating in order to facilitate cannula's setup.
- High knot strength for better fixing the cannula.




 KL needle for better penetration of calcified or sclerous tissues



 Preloaded pledgets for assisting ligation of thin or fragile tissue and preventing trauma








Product's recommendation by Peters Surgical

Suture brand	USP	Needle tip	Needle curvature, length	Suture length	Oty suture used
Cardioxyl® / Cardioflon® <i>E</i> volution	2/0 or 3/0	KL needle	1/2c or 3/8c, 17 to 22 mm	75 cm	1 to 2 per cannulation site

TOP ORDER CODES				
73S20F	Cardioxyl® 3/0	3/8 KL, 18 mm, DA 75 cm		
19S30AK	Cardioflon® <b>E</b> volution 2/0	3/8 KL, 20mm, DA 75 cm		

# **Aortic cross-clamping**



# OTHER CLAMP Bahnson clamp Product's recommendation by Peters Surgical TOP ORDER CODES V-10142 Cygnet® Aortic cross clamp 66 mm straight jaw N-10174V Intrack® Inserts Ultra 66 mm

Provided length in choice of 33/66/86 mm				
	types	Description		
******	Ultra	Atraumatic insert design		
	Conforming	Extremely soft and compliant		
	Traction	Combining a traction and conformity features		
	Double traction	Higher degree of traction		

**INSERTS RANGE** 

# Coronary Bypass.

# Hemostasis & separation of collaterals branches

## SLS-Clip & Clip 9 Vitalitec®

Pure titanium & chevron-shaped clip

#### 6 sizes and 2 cartridge models



Clip 9 VITALITEC® 9 Clips/cartridge\*



SLS-Clip VITALITEC® 6 Clips/cartridge



- Clips sizes adapted to perform hemostasis on various vessel configurations.
- Number of clips per cartridge better suited for number of clips used per procedure

Product's recommendation by Peters Surgical

TOP ORDER	CODES			
Medium	Small/Medium	■ Small	Small	Micro
B9180	L9180	R9180	J9180	W9060
5,6 mm***	4,7 mm***	3,6 mm***	3,6 mm***	2,6 mm***

<sup>\*</sup> Except for Medium/Large and Large size : 6 Clips per cartridge \* Height clip closed

# **Grafts clamping**

# Atraumatic Single-use spring clip (Bulldogs)

**Possible to apply manually** or with the help of a specific applicator





#### Greyhound®

3 ajustable pressure started with 1/2 force ( $1^{\rm st}$  position); 3/4 force ( $2^{\rm nd}$  position) then full force ( $3^{\rm th}$  position)



- Sofia Vitalitec® soft elastomeric pads to reduce the risk of vascular trauma
- 3 available intensities of clamping forces: 1/4 Force, 1/2 Force, 3/4 Force



- Novaclip® Lightweight and more refined profile
- · Jaws opening until 17 mm

TOP ORDER CODES				
N-10113	Novaclip®	12mm, 1/2 force, Angled yellow		

# **Anastomosis**

#### Corolene ®

Non absorbable suture, polypropylene monofilament



Coropak® or 4-Pak®
 Packaging «extended shuttle»
 reduce all shape memory and make needles access easier




- Great flexibility & glide properties
- Knot strength is either higher or equivalent to competitors<sup>1</sup>



- KL needle for better penetration of calcified aortic annulus
- Extrablack® needle for improving visibility



Comparison of breaking strength



Product's recommendation by Peters Surgical

At least one per anastomosis	USP	Needle tip	Needle curvature, length	Suture length
Distal anastomosis	7/0 or 8/0	Round or KL	3/8c, 6 to 10 mm	45 to 60 cm
Proximal anastomosis	6/0 or 5/0	Round or KL	3/8c, 13 mm	75 cm

TOP ORDER CODES

**20S04C**: 8/0, 3/8 R, 6.4 mm, DA 45 cm • **20S05D**: 7/0, 3/8 KL, 10 mm, DA 60 cm **20S07D**: 6/0, 3/8 R, 13 mm, DA 75 cm • **20S10C**: 5/0, 3/8 KL, 13 mm, DA 75 cm

# Coronary Bypass Off-pump Surgeries.

# Partial clamping of the aorta

## Lambert-Kay clamp range

Clamp with curved jaw orientation



#### Lambert-Kay clamp




Product's recommendation by Peters Surgical

Clamp type	Jaws lenght	Inserts design
Cygnet® Lambert-Kay	66 mm or 86 mm	Ultra

#### Intrack®

Atraumatic single-use insert

#### Intrack® Inserts Ultra



- Atraumatic insert design
- Traction to prevent slippage
- Strong hold on the vessel
- Match curved clamp jaw configuration,

#### **INSERTS RANGE**

	types	Description
*****	Ultra	Atraumatic insert design
	Conforming	Extremely soft and compliant
	Traction	Combining a traction and conformity features
	Double traction	Higher degree of traction

TOP ORDER CODES				
V-10143	Cygnet® Aortic cross clamp lambert-kay	C-curve 66 mm		
N-10174V	Intrack® inserts ultra	66 mm		


# **Anastomosis without clamping**

#### Enclose® II

Proximal anastomosis assist device



- Designed to provide the surgeon with a **stable**, **bloodless field**.
- **Used in on-pump CABG** for those who perform proximal anastomosis after releasing the cross clamp.
- Designed specifically to obviate the need for partial clamping of the aorta.
- Allows **several anastomosis** from one insertion site\*.



<sup>\*</sup> Depending on surgeon's technique

# Valve Replacement & Repair.

# Valve fixation or annuloplasty

## Cardioxyl® or Cardioflon® Evolution

Non-absorbable suture, polyester coated braid



- Great gliding properties in order to facilitate parachuting
- Round end pledget could be placed side by side on a curved line without any overlapping
- Low shape memory thanks to Multipak®
   Specifically designed for procedure : 5 green + 5 white sutures per pack
- KL needle for calcified and sclerous tissues









# 2 sutures proposition depending on surgeon's reference :

The braid of **Cardioflon® Evolution** is tighter and less straight than Cardioxyl®



Cardioxyl® USP 2/0

Greater glide in order to respect the tissues of the annulus and of the atrial endocardium



Cardioflon® Evolution USP 2/0

- Greater knot tensile strength
- Very strong hold from 1<sup>st</sup> knot

Product's recommendation by Peters Surgical

	Suture brand	USP	Needle tip	Needle curvature, Length	Suture length	Oty suture used
Card	dioxyl® for Valve fixation	2/0	Round or KL	3/8c, 25 mm	75 to 90cm	18
	dioflon® <b>E</b> volution Ring annuloplasty	2/0	Round or KL	3/8c, 26 mm	75 to 90cm	3

#### TOP ORDER CODES

**73P30CA** 2/0, 3/8 R, 25 mm, DA 90cm Pledget Multipak **73P30L**: 2/0, 3/8 KL, 25 mm, DA 90cm Pledget Multipak

**19S30AQ:** 2/0, 3/8 KL, 25 mm, DA 75cm **19S20Q:** 3/0, 3/8 KL, 25 mm, DA 75cm

# Leaflets or chordaes repair

# Charles of the state of the sta

## Cardionyl®

Non-absorbable suture, polyamide monofilament



 High flexibility properties taking into account the valve constraints, thanks to treated polyamide 6,6 thread.



 Higher stress resistance compared to the polypropylene and higher elongation properties<sup>1</sup> to repair the too long/short chordaes



 Available with or without preloaded pledget (soft pledget Weavenit® or firm pledget Teflon®)

# Aortic or atrium closure



#### Corolene®

Non absorbable suture, polypropylene monofilament



- **Great flexibility** & glide properties adapted to continuous suture
- **Knot tensile strength** is either higher or equivalent to competitors<sup>1</sup>



Coropak® or 4-Pak®
 Packaging «extended shuttle»
 to reduce shape memory and make needles access easier



 KL needle for better penetration of calcified aortic annulus
 Extrablack® needle for improving visibility

Product's recommendation by Peters Surgical

Suture brand	USP	Needle tip	Needle curvature, Length	Suture length	Oty suture used
Cardionyl® for leaflets or chordaes repair	4/0 or 5/0	Round	3/8c, 16 mm	75 to 90cm	2 to 3
Corolene® for atrium closure	4/0 or 5/0	Round or KL	3/8c, 18 to 26 mm	70 to 90 cm	2
Corolene® for aorta closure	4/0 or 5/0	Round or KL	3/8c, 18 to 26 mm	70 to 90 cm	2

**TOP ORDER CODES 721072**: 5/0, 3/8 R, 16mm, DA 80cm **721812**: 4/0, 3/8 R, 20mm, DA 80cm **20S15D**: 4/0, 3/8 KL, 26 mm, DA 75cm **20S15C**: 4/0, 3/8 KL, 18 mm, DA 75cm

# Aortic Surgeries.

## **Anastomosis**

#### Corolene ®

Non absorbable suture, polypropylene monofilament



Coropak® or 4-Pak®
 Packaging «extended shuttle»
 reduce all shape memory and make needles access easier




- Great flexibility & glide properties
- Knot strength is either higher or equivalent to competitors<sup>1</sup>



- KL needle for better penetration of calcified aortic annulus
- Extrablack® needle for better visibility





Product's recommendation by Peters Surgical

At least one per anastomosis	USP	Needle tip	Needle curvature, length	Suture length	Qty suture used
Thoracic aneurysm	3/0	Round or KL	1/2c or 3/8c, 22 to 26mm	75 cm	At least one per anastomosis
Dissection -Tyrone David	6/0 or 7/0	Round or KL	1/2c or 3/8c, 10 to 13mm	75 cm	At least one per anastomosis

TOP ORDER CODES

20S20E: 3/0, 1/2 R, 26 mm, 75 DA cm

20S07D: 6/0, 3/8 R, 13 mm, 75 DA cm

# Minimally Invasive Cardiovascular Surgeries.

# CABG or heart valve surgery

#### Cardiovascular sutures for MICS

# Large portfolio of non-absorbable sutures designed for each procedure

 Possible to personalize the specific sutures on request for the minimally invasive surgeries



# Advanced A300 series needles adapted to MICS

- Square body for more resistance and stability in the needle holder
- Extrablack® needle for better visibility
- KL needle for better penetration of calcified aortic annulus



#### Product's recommendation by Peters Surgical

Procedure	Suture brand	Suture length	Needle length
Anastomosis	Corolene® 8/0	15 - 150 cm	5 - 75 cm
Anastomosis	Corolene® 4/0	15 - 150 cm	5 - 75 cm
Annuloplasty	Cardioxyl® 2/0	60 - 90 cm	10 - 25 cm
Mitral valves repair	Cardionyl® 5/0	10 - 90 cm	8 - 48 cm

# Surgical flexible clamp Cygnet®



# SLS-Clip & Clip 9 Vitalitec®



TOP ORDER CODES		
Cartridge Medium	B9180	Height clip closed 5,6 mm
■ Endoscopic Clip Applier Medium	LCASLS4-1	Ø 10mm - length 33 cm
Cygnet® Aortic cross clamp	V-10142	66 mm straight jaw

# Congenital Heart Surgeries.

# Prosthesis, patch suture and closure

#### Premio<sup>®</sup>

Non-absorbable suture, PVDF monofilament




- Great flexibility and high knot strength over the years in order to tissues growth (PVDF properties)
- Excellent glide due to the manufacturing process with specific extrusion



 Easier to handle and lower shape memory with the sutures on reel




Pre-loaded with Weavenit®
 (very soft pledget) or soft Teflon®
 pledget with various sizes





Comparison of residual tensile knot strength properties of polypropylene and PVDF sutures over the years <sup>1</sup>

#### Residual tensile knot strength (%)



Product's recommendation by Peters Surgical

Procedure	USP	Needle tip	Needle curvature, Length	Suture length	Oty suture used
ASD / VSD	5/0	Round or KL	3/8c, 13 mm	75 cm	3 - 18
Atrium / Ventricule closure	4/0	Round	1/2c, 13 mm	75 cm	2
Aorta closure (COA / PDA)	5/0 to 7/0	Round	1/2c, 18 to 26mm	75 cm	2

TOP ORDER CODES

26S10C: 5/0, 3/8 R, 13mm, DA 75cm

26S15X: 4/0, 1/2 R, 16mm, DA 75cm

26S10U: 5/0, 1/2 R, 18mm, DA 75cm

## Hemostasis

## SLS-Clip & Clip 9 Vitalitec®

Pure titanium & atraumatic chevron-shaped clip



 Clips sizes adapted to perform hemostasis on various vessel configurations.



 Non-slip closure on the vessels thanks to interlocking atraumatic teeth and internal structure made up of small diamond shape



 Specific treatment and shape of the applier jaw inner surface to help secure the grip of the clip in the applier until applied to a vessel

Product's recommendation by Peters Surgical

TOP ORDER CODES			
Small/Medium	■ Small	Small	Micro
L9180	R9180	J9180	W9060
4,7 mm**	3,6 mm**	3,6 mm**	2,6 mm**

<sup>\*\*</sup> Height clip closed

# **Aorta clamping**

## Cygnet® & Intrack®

Surgical flexible clamp and atraumatic single-use inserts



#### 33 mm Insert length

Length clamp: 39 cm

(For more information about Intrack® inserts, see page 7)

#### Multipurpose clamp

Multiple choice of handle configurations and jaw orientations



Arched handle • Angled 55° Length clamp: 16.5 cm

Straight handle • Angled 55° Length clamp: 17 cm

# TOP ORDER CODES V-10183: Cygnet®, 33 mm straight jaw N-10109V: Multipurpose clamp, 33 mm straight jaw N-10176V: Intrack® Inserts Ultra, 33 mm

# Closure.

# Sternal closure

#### Acier

Non-absorbable suture, stainless steel



• Excellent tissue penetration and great flexibility thanks to 3 faces needle tip and the thread made by highest quality of stainless steel – 316 LVM



 Greater needle attachment by specific crimping technique with 8 points



 Wide range with packs of 1-8 units adapted to procedure needs.  Lower shape memory thanks to «packaging extended shuttle»



Product's recommendation by Peters Surgical

Suture brand	USP	Needle tip	Needle curvature, Length	Suture length	Oty suture used
Acier/steel	5 to 6	3 faces	1/2c, 48 mm	45 cm	6 to 8

TOP ORDER CODES		
31760	Acier 6	1/2 3F, 48 mm, 45 cm, Pack of 7

# Final closure

# Full portfolio of sutures for closure with advanced A300 series needle

Pericardium, muscle, fascial, subcutaneous closure



Drain fixation



Skin closure







# Optime®

Absorbable suture Polyglycolic Acid (PGA) coated braid

- High initial strength:
   Approximatively 65% after 14 days post-implantation (in vivo).
- Time of total loss of resistance: 28-35 days
- Total absorption: 60-90 days

# Polytresse®

Non-absorbable suture Coated polyester braid

- Very good knot strength to prevent suture tear/fracture
- Great glide thanks to silicone coating

# Filapeau®

Non-absorbable suture Polyamide monofilament

- Great glide and flexibilty
- · Low shape memory
- Available on undyed

# Advantime®

Absorbable suture Poliglecaprone 25 (PGA-CL25)

- Available with Extracut® cutting needle with precision point
- Less trauma and greater glide
- Time of total loss of resistance: 21-28 days
- Total absorption: 90-120 days

Product's recommendation by Peters Surgical

TOP ORDER CODES						
18S30F	Pecardium closure	Optime® 2/0	1/2 R, 30 mm, 75 cm			
18S40AC	Muscle/fascial closure	Optime® 1	1/2 KL, 30 mm, 75 cm			
18I30AM	Subcutaneous closure	Optime® 2/0	3/8 T, 19 mm, 75 cm			

TOP ORDER CODES						
15D20E	Skin closure	Advantime® 3/0	3/8 XT-Cutting, 19 mm, 70 cm			
87300	Skin closure	Filapeau® 3/0	3/8 T, 20 mm, 90 cm			
91S35A	Drain fixation	Polytresse® 0	1/2 OSH-Cutting, 22 mm, 75 cm			



# Solutions corresponding to Cardiovascular surgeons needs \*.

			Clips	5	V	то	Anastomosis
	Procedural step	Sutures	Titanium SLS- Clip/Clip 9	Spring Clip (Bulldogs)	Inserts	Clamp	Assist Device for Beating-Heart
	Opening and Exposure of the heart	Polytresse®	Clip Various sizes	-	-	-	-
	Cannulation - CPB	Cardioxyl <sup>®</sup> Cardioflon <sup>®</sup> <b>S</b> volution	-	-	-	-	-
	Coronary Bypass on-pump	Corolene® Premio®	Clip Various sizes	Novaclip® Sofia® Greyhound®	Intrack®	Cygnet <sup>®</sup> Bahnson clamp	-
P	Coronary Bypass off-pump	Corolene® Premio®	-	-	Intrack®	Cygnet® Lambert-Kay clamp	Enclose®II
Ser.	Valves Repair & Replacement	Cardioxyl® Cardioflon® Evolution Cardionyl® Corolene® / Premio®	-	-	-	-	-
	Aorta Surgeries	Corolene® Premio®	-	-	Intrack®	Cygnet <sup>®</sup> Bahnson clamp	-
MICS	MICS	Cardioxyl® Cardioflon® <b>£</b> volution Cardionyl® Corolene®	Clip - Various sizes Endoscopic applier	Novaclip <sup>®</sup> Sofia <sup>®</sup> Greyhound <sup>®</sup>	Intrack®	Cygnet® Clamp	-
	Congenital Heart Surgery	Premio <sup>®</sup>	Clip - Various sizes Endoscopic applier	-	Intrack®	Cygnet® Multipurpose clamp	-
	Closure	Acier Optime® Polytresse® Advantime® / Filapeau®	-	-	-	-	-

# References.

#### Absorbable Sutures.

#### Optime® 1a

The synthetic absorbable surgical sutures Optime® are indicated for use in general tissue approximation and/or ligation, including use in ophthalmic surgery.

#### Advantime® 1a

The synthetic absorbable surgical sutures Advantime® are indicated for use in general soft tissue approximation and/or ligation where an absorbable suture is indicated.

#### Non-Absorbable Sutures.

#### Corolene® 1a

Corolene® sutures are intended for use in general soft tissue approximation and/or ligation, including use in cardiovascular and vascular surgery, in ophthalmic surgery, in plastic surgery and in neurological surgery. Corolene® sutures can be used for laparoscopic surgery and abdominal aorta surgery.

#### Premio® 1a

Premio® sutures are intended for use in general soft tissue approximation and/or ligation, including use in cardiovascular, vascular and neurological surgery.

#### Cardioxyl® 1a

Cardioxyl® sutures are intended for use in general soft tissue approximation and/or ligation, including use in cardiovascular, vascular and ophthalmic surgeries.

#### Cardioflon® Evolution 1a

Cardioflon® **£**volution sutures are intended for use in general soft tissue approximation and/or ligation, including use in cardiovascular, vascular and ophthalmic surgeries.

#### Cardionyl® 1a

Cardionyl® sutures are intended for use in general soft tissue approximation and/or ligation, including use in cardiovascular, vascular, ophthalmic and neurological surgery.

#### Acier1c

Acier sutures are intended for use in thoracic and cardiothoracic surgery (sternum closure) and in orthopaedic surgery.

#### Filapeau® 1c

Filapeau® sutures are intended for use to suture superficial cutaneous skin and in plastic surgery.

#### Polytresse® 1a

Polytresse® sutures are intended for use in general soft tissue approximation and/or ligation, including use in orthopaedic surgery, in cardiovascular and vascular surgery and in ophthalmic surgery.

#### Clips-VTO.

#### Titanium Hemostatic Clips SLS-CLIP® Vitalitec & Clip 9 Vitalitec® 1a

Titanium Hemostatic Clips can be used in every surgical specialty when complete occlusion of a vessel or tissue is required, except for Fallopian Tube Ligation.

#### Vitalitec® Hemostatic Clip appliers<sup>7</sup>

Vitalitec® Hemostatic Clip appliers are intended for the loading, holding and optimal closure of Vitalitec® Titanium Hemostatic clips.

#### Vitalitec® Endoscopic Clip appliers®

Vitalitec® Endoscopic Clip appliers are intended for the loading, holding and optimal closure of Vitalitec® Titanium Hemostatic clips.

#### Intrack® Surgical Clamp<sup>2</sup>

For Vascular

Suitable for veins and arteries. Performs efficiently on either diseased or normal vessels. Provides occlusion of atherosclerotic vessels without excessive closing forces. Minimizes intimal damage and fragmentation of atherosclerotic material. Can be clamped over indwelling catheters.

For Gastrointestinal

Replaces bulky, rubber shod clamps. Cushiondesign of inserts enables occlusion without crushing the bowel.

#### Intrack® Inserts 19

For Vascular

Suitable for veins and arteries. Performs efficiently on either diseased or normal vessels. Provides occlusion of atherosclerotic vessels without excessive closing forces. Minimizes intimal damage and fragmentation of atherosclerotic material. Can be clamped over indwelling catheters.

For Gastrointestinal

Replaces bulky, rubber shod clamps. Cushiondesign of inserts enables occlusion without crushing the bowel.

#### Cygnet® Flexible Clamp<sup>2</sup>

The Cygnet® clamps are indicated for use in cardiovascular, peripheral vascular and general surgical procedures. They are used for temporary occlusion of all types of arteries and veins, including aorta clamping during mini-thoracotomy cardiac surgery. The Cygnet® clamps must exclusively be loaded with single use Intrack® inserts prior to use.

#### Greyhound® Adjustable Spring Clip 19

The Greyhound® Adjustable Spring Clip is indicated for use in peripheral vascular, cardiovascular and general surgery. Greyhound® is used for temporary occlusion of blood vessels. It is suitable for veins and arteries, provides occlusion of atherosclerotic vessels or normal vessels and may be used over indwelling catheters. Greyhound® may be used for temporary occlusion of the autogenous saphenous vein during coronary bypass surgery. Greyhound® may also be used as a suture tag.

#### Novaclip® Surgical spring clip 19

The Novaclip® Surgical Spring Clip is indicated for use in peripheral vascular, cardiovascular and general surgery. Novaclip® is used for temporary occlusion of blood vessels. It is suitable for veins and arteries, provides occlusion of atherosclerotic vessels or normal vessels and may be used over indwelling catheters. Novaclip® may be used for temporary occlusion of the autogenous saphenous vein during coronary bypass surgery. Novaclip® may also be used as a suture tag

#### Atraumatic spring clips Sofia Vitalitec ® 1b

The bulldog spring clips were specifically designed for temporary occlusion of vessels. They are intended for use by professionals trained in surgical techniques and can be used in all surgical specialties requiring temporary occlusion of vessels and tubal structures, for any type of patient. They are single-use devices. Their jaw gap is 7 mm and they can be set up with a specific Péters Surgical applier. The jaws are made of medical grade polycarbonate, overmolded with soft elastomeric pads to reduce the risk of vascular trauma as far as possible. Three intensities of clamping forces are available (1/4 Force, ½ Force, ¾ Force). It is incumbent upon the user to select the best suited clamping force for the surgical procedure. Note: these devices may also be used as suture tags.

#### Enclose® II Anastomosis Assist Device 19

The Enclose® II device is intended for use by cardiac surgeons during on-pump or off-pump coronary artery bypass grafting (CABG) procedures in place of partial occlusion clamps in ascending aortas free of atheromatous disease.

- 1a. Medical Device Class IIICE 0459Manufacturer: Peters Surgical.
- 1b. Medical Device Class IlaCE 0459Manufacturer: Peters Surgical.
- 1c. Medical Device Class IIb CE 0459 Manufacturer: Peters Surgical
- 2. Medical Device Class I

  Manufacturer: Vitalitec International Inc.
- Medical Device Class I Manufacturer: Peters Surgical.
- Medical Device Class I
   Manufacturer: Vitalitec International
   Medizintechnik GmbH.
- 19. Medical Device Class IIaCE 2797Manufacturer: Vitalitec International Inc

# Peters Surgical Headquarters & French Affiliate

Immeuble AURELIUM
1 cours de l'Ile seguin
92100 Boulogne-Billancourt - France
+33 1 48 10 62 62
peters-surgical.com
peters-surgical.fr

#### Peters Surgical Polska

01-756 Warszawa, ul. Przasnyska 6B, Poland +48 22 462 42 52

#### Peters Surgical Benelux

Beelerstrooss, 2 (entrée B) L-9991 - Weiswampach Grand Duché du Luxembourg +352 26 90 80 13

#### Peters Surgical India Pvt.ltd.

Emaar Digital Greens, Unit No. 508-511 5th Floor, Tower-A, Sector-61 Golf Course Extension Road Balarampur Naya Gurgaon 122102 Haryana India +91-11-46564700 peters-surgical.in

#### Peters Surgical USA - Vitalitec Inc

10 Cordage Park Circle, Suite 100 Plymouth, MA 02360 USA +1 508-747-6033 peters-surgical.us

#### Peters Surgical Germany - Catgut GmbH

Gewerbepark 18D-08258 Markneukirchen, Germany +49 37422 583-0

Presentation dedicated to Peters Surgical employees, distributors and healthcare professionals. Carefully read the Instructions For Use of medical device before use.









peters-surgical.com